



T 15/1

With the dry vacuum cleaner T 15/1 we modernize our existing, commercial dry vacuum cleaner range and reoccupy this important market segment with a top class model.



1 Flexible cable

- The yellow Highflex cable is extremely tough, flexible and anti-twist.
- It can be wound around the top of the machine or stored on the cable hook.



2 Integrated accessory storage

- Accessory storage at the rear for easy access in any cleaning situation.



3 Foot switch for added convenience

- No need to bend down.



4 Main filter basket

- Large permanent main filter made from washable nylon for optimum dust separation. For use with or without filter bag.



T 15/1

- Integrated accessory storage
- Integrated power cable/suction hose storage
- Flexible cable

Technical data

Order no.	1.355-200.0	
EAN code	4039784723436	
Current type	V / Hz	220 - 240 / 50 - 60
Air flow rate	l/s	53
Vacuum	mbar / kPa	240 / 24
Container capacity	l	15
Max. rated input power	W	800
Standard nominal width		35
Cable length	m	15
Sound pressure level	dB(A)	62
Sound power level	dB(A)	76
Weight	kg	7.1
Dimensions (L × W × H)	mm	434 × 316 × 400

Equipment

Suction hose	m	2.5
Telescopic suction tube		standard
Filter bag		fleece
Switchable floor nozzle	mm	285
Container material		plastic
Floor nozzle		■
Crevice nozzle		■
Radiator nozzle		■
Upholstery nozzle		■
Permanent filter basket, nylon		■

■ Included in the scope of supply.

T 15/1

1.355-200.0

KÄRCHER


		Order no.	Quantity	ID	Length	Width	Price	Description	
Exhaust air filter									
Standard exhaust filter	1	6.414-802.0	3 piece(s)					Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	■
Motor protection filter	2	6.414-611.0	5 piece(s)					Motor protection filter, removable fleece, which can be replaced when heavily soiled.	■
Set filter motor protection	3	2.889-119.0	3 piece(s)						□
Main filter baskets									
Permanent main filter basket	4	5.731-640.0	1 piece(s)					Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	■
	5	4.731-011.0	1 piece(s)					Plastic frames with reinforced fleece material, washably to 40°C.	□
Fleece filter bags (three-ply)									
Fleece filter bags	6	6.907-017.0	10 piece(s)					Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 15/1 and T 17/1.	■
Fleece filter bags, bulk value pack	7	6.907-018.0	200 piece(s)					Tear-resistant, 3-ply, dust M class, bulk user pack.	□
Bend, plastic									
Bend	8	2.889-148.0	1 piece(s)	ID 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	■
Crevice nozzles									
Crevice nozzle	9	2.889-130.0	1 piece(s)	ID 35	210 mm			Plastic crevice nozzle.	■
Combi-nozzles, dry									
Combi-nozzle	10	2.889-129.0	1 piece(s)	ID 35		295 mm		Plastic floor nozzle, ID 35 and switchable.	■
Parquet nozzle	11	2.889-196.0	1 piece(s)	ID 35		360 mm		Parquet nozzle with wide working width	□
	12	2.889-197.0	1 piece(s)	ID 35		300 mm			□
Upholstery nozzles									
Upholstery nozzle DN 35	13	6.905-998.0						Plastic upholstery nozzle in DN 35.	■
Suction tubes, metal									
Telescopic suction tube	14	2.862-008.0	1 piece(s)	ID 35	1 m			Telescopic suction tube, metal, chrome-plated, ID 35. Length from 0.61 to 1.0 m.	■
Complete suction hoses (clip system)									
Suction hose	15	2.889-133.0	1 piece(s)	ID 35	2.5 m			2.5 m suction hose with new clip fastener, C 35.	■
HEPA, dust class H filter									
Filter, packaged, HEPA, H13	16	6.414-080.0	1 piece(s)					Optional HEPA filter box H 13 (paper/plastic) for use instead of the standard blower air filter box. Increases the filter capacity and improves the blower air.	□
Paper filter bags (two-ply)									
Paper filter bags, bulk pack	17	6.907-016.0	200 piece(s)					Bulk user pack of 200 pc., BIA-C, dust class M approved	□
Paper filter bags	18	6.907-019.0	10 piece(s)					10 paper filter bags (BIA-C dust class M) as optional accessories for use in all industrial dry vacuum cleaners (e.g. T 15/1 and T 17/1).	□
Fabric filter bag									
Fabric filter bag	19	6.904-316.0	1 piece(s)					Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.	□
Electric brushes									
Brush head ESB 34	20	2.642-442.0	1 piece(s)	ID 32		340 mm		ESB 34 with suction hose with integrated electric cable and telescopic suction tube.	□
ESB 28 electric suction brush	21	2.641-815.0	1 piece(s)	ID 32		280 mm		Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.	□

■ Included in the scope of supply. □ Available accessories.

T 15/1

1.355-200.0



		Order no.	Quantity	ID	Length	Width	Price	Description	
Turbo nozzles									
Turbo upholstery nozzle	22	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	23	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Suction hoses (clip system)									
Suction hose	24	2.889-163.0	1 piece(s)	ID 35	2.5 m			Electroconductive suction hose, NW 35. Length: 2.5 metres.	<input type="checkbox"/>
Expansion pieces (tube -> nozzle)									
Adapter	25	6.902-083.0	1 piece(s)	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Reducers (tube -> nozzle)									
Reducer from ID 35 to ID 32	26	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Reduction/expansion adapter kit									
Set of reducers / adapter sleeves	27	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
Connecting sleeves									
Adapter, ID 32/35, with internal thread	28	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.